

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 8165-2214:0100 Page 1 of 1

CATEGORY: 8165 -- VENTS FOR WILDLAND URBAN INTERFACE (W.U.I.)

LISTEE: Embers Out LLC 21520 Yorba Linda Blvd., Suite G 530, Yorba Linda, CA 92887
Contact: George Sherry (714) 363-3459 Fax (714) 779-3501
Email: gjs155@yahoo.com

DESIGN: Embers Out Elite
Model E1212N80(12"X12"), E1218N124 (12"X18"), E1224N168 (12"X24"), E1414N110 (14"X14"), E1418N145 (14"X18"), E1424N187 (14"X24"), E1430N249 (14"X30") exterior vent.
Aluminum or Stainless Steel

RATING: Rated for use as materials for exterior wildfire exposure in Wildland Urban Interface (WUI) fire areas.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee name, Model number, rating and SFM label.

APPROVAL: Listed as foundation vent, soffit vent, and eave vent for use in Wildland Urban Interface Areas (WUI) for vertical installation only.

NOTE: This listing is considered an alternate method of compliance with 706A, 2013 CBC. Alternate Methods of Compliance are listed as a one time listing only.

6-22-16 dc



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2016**

Listing Expires **June 30, 2017**

Authorized By: **DAVID CASTILLO, Program Coordinator**
Fire Engineering Division