



PLUMAS COUNTY
ENVIRONMENTAL HEALTH DIVISION
FOOD SAFETY EVALUATION REPORT
270 County Hospital Rd., Ste 127 Quincy, CA 95971
Phone: (530) 283-6355 FAX (530) 283-6241

pg 1 of 1

Date of Inspection: 3/22/19

Facility Name: Mt LASSEN Club Phone Number 258-2991 PR ID # 209
Facility Site Address: 173 MAIN City: CHESTER Zip 96020
Permit #: 19-176 Exp Date: 2/1/20 Permit Holder: Sam Berles
Type of Inspection: Rating

See reverse side for the code sections and general requirements that correspond to each violation listed below

In = In compliance N/O = Not observed N/A = Not applicable COS = Corrected on-site MAJ = Major violation OUT=Out of Compliance

In	N/O-N/A	COS	MAJ	OUT
DEMONSTRATION OF KNOWLEDGE				
X	1. Demonstration of knowledge; food safety certification			
Food Safety Cert Name: SHELL FLOWER	Exp. Date 1/14/23			
EMPLOYEE HEALTH & HYGIENIC PRACTICES				
X	2. Communicable disease; reporting, restrictions & exclusions			
X	3. No discharge from eyes, nose, and mouth			
X	4. Proper eating, tasting, drinking or tobacco use			
PREVENTING CONTAMINATION BY HANDS				
X	5. Hands clean and properly washed; gloves used properly			
X	6. Adequate handwashing facilities supplied & accessible			
TIME AND TEMPERATURE RELATIONSHIPS				
X	7. Proper hot and cold holding temperatures			
X	8. Time as a public health control; procedures & records			
X	9. Proper cooling methods			
X	10. Proper cooking time & temperatures			
X	11. Proper reheating procedures for hot holding			
PROTECTION FROM CONTAMINATION				
X	12. Returned and re-service of food			
X	13. Food in good condition, safe and unadulterated	X		
X	14. Food contact surfaces: clean and sanitized			

In	N/O-N/A	COS	MAJ	OUT
FOOD FROM APPROVED SOURCES				
X	15. Food obtained from approved source			
X	16. Compliance with shell stock tags, condition, display			
X	17. Compliance with Gulf Oyster Regulations			
CONFORMANCE WITH APPROVED PROCEDURES				
X	18. Compliance with variance, specialized process, reduced oxygen packaging, & HACCP Plan			
CONSUMER ADVISORY				
X	19. Consumer advisory provided for raw or undercooked foods			
Highly Susceptible Populations				
X	20. Licensed health care facilities/ public & private schools; prohibited foods not offered			
WATER/HOT WATER				
X	21. Hot and cold water available Temp 120°F			
LIQUID WASTE DISPOSAL				
X	22. Sewage and wastewater properly disposed			
VERMIN				
X	23. No rodents, insects, birds, or animals			

SUPERVISION		OUT
24. Person in charge present and performs duties		
PERSONAL CLEANLINESS		
GENERAL FOOD SAFETY REQUIREMENTS		
26. Approved thawing methods used, frozen food		
27. Food separated and protected		
28. Washing fruits and vegetables		
29. Toxic substances properly identified, stored, used		
FOOD STORAGE/ DISPLAY/ SERVICE		
30. Food storage; food storage containers identified		
31. Consumer self-service		
32. Food properly labeled & honestly presented		
EQUIPMENT/ UTENSILS/ LINENS		
33. Nonfood contact surfaces clean		
34. Warewashing facilities: installed, maintained, used; test strips		
35. Equipment/ Utensils approved; installed; clean; good repair, capacity		
36. Equipment, utensils and linens: storage and use		
37. Vending machines		
38. Adequate ventilation and lighting; designated areas, use		

39. Thermometers provided and accurate	OUT
40. Wiping cloths: properly used and stored	
PHYSICAL FACILITIES	
41. Plumbing: proper backflow devices	
42. Garbage and refuse properly disposed; facilities maintained	
43. Toilet facilities: properly constructed, supplied, cleaned	
44. Premises; personal/cleaning items; vermin-proofing	
PERMANENT FOOD FACILITIES	
45. Floor, walls and ceilings: built, maintained, and clean	
46. No unapproved private homes/ living or sleeping quarters	
SIGNS/ REQUIREMENTS	
47. Signs posted; last inspection report available	
COMPLIANCE & ENFORCEMENT	
48. Plan Review	
49. Permits Available	
50. Impoundment	
51. Permit Suspension	

Received by (Print)	Jessie Brent	Title
Received by (Signature)	Jessie Brent	
Specialist (Print)	Pat Sanders	Specialist (Signature)
		Re-inspection Date:

13. APPROXIMATELY 1/4 OF 1 LITER OF ABSOUR VODKA DISPOSED OF @ TIME OF INSPECTION. DUE TO VECTOR ADULTERATION