



PLUMAS COUNTY  
ENVIRONMENTAL HEALTH DIVISION  
**FOOD SAFETY EVALUATION REPORT**  
270 County Hospital Rd., Ste 127 Quincy, CA 95971  
Phone: (530) 283-6355 FAX (530) 283-6241

pg 1 of 1

Date of Inspection: 9/13/24

Facility Name: <u>PLUMAS DISTRICT HOSPITAL</u>	Phone Number	PR ID # <u>230</u>
Facility Site Address: <u>1065 BUCKS LAKE RD</u>	City: <u>QUINCY</u>	Zip: <u>95971</u>
Permit #: <u>23-1917 Fnd</u>	Exp Date: <u>10/1/24</u>	Permit Holder: <u>Plumas District Hospital</u>
		Type of Inspection: <u>Routine</u>

See reverse side for the code sections and general requirements that correspond to each violation listed below

In = In compliance N/O = Not observed N/A = Not applicable COS = Corrected on-site MAJ = Major violation OUT=Out of Compliance

In	N/O-N/A	COS	MAJ	OUT
<b>DEMONSTRATION OF KNOWLEDGE</b>				
1. Demonstration of knowledge; food safety certification				
Food Safety Cert Name: <u>CATHY FINKER</u> Exp. Date <u>12/23/28</u>				
<b>EMPLOYEE HEALTH &amp; HYGIENIC PRACTICES</b>				
2. Communicable disease; reporting, restrictions & exclusions				
3. No discharge from eyes, nose, and mouth				
4. Proper eating, tasting, drinking or tobacco use				
<b>PREVENTING CONTAMINATION BY HANDS</b>				
5. Hands clean and properly washed; gloves used properly				
6. Adequate handwashing facilities supplied & accessible				
<b>TIME AND TEMPERATURE RELATIONSHIPS</b>				
7. Proper hot and cold holding temperatures <u>Cold</u>				
8. Time as a public health control; procedures & records				
9. Proper cooling methods				
10. Proper cooking time & temperatures				
11. Proper reheating procedures for hot holding				
<b>PROTECTION FROM CONTAMINATION</b>				
12. Returned and re-service of food				
13. Food in good condition, safe and unadulterated				
14. Food contact surfaces: clean and sanitized <u>200ppm Chlorine</u>				

In	N/O-N/A	FOOD FROM APPROVED SOURCES		
15. Food obtained from approved source			COS	MAJ
16. Compliance with shell stock tags, condition, display				
17. Compliance with Gulf Oyster Regulations				
<b>CONFORMANCE WITH APPROVED PROCEDURES</b>				
18. Compliance with variance, specialized process, reduced oxygen packaging, & HACCP Plan				
SB 13 83 Food Diversion Program				
<b>CONSUMER ADVISORY</b>				
19. Consumer advisory provided for raw or undercooked foods				
<b>Highly Susceptible Populations</b>				
20. Licensed health care facilities/ public & private schools; prohibited foods not offered				
<b>WATER/HOT WATER</b>				
21. Hot and cold water available Temp <u>116°F</u>				
<b>LIQUID WASTE DISPOSAL</b>				
22. Sewage and wastewater properly disposed				
<b>VERMIN</b>				
23. No rodents, insects, birds, or animals				

<b>SUPERVISION</b>		OUT
24. Person in charge present and performs duties		
<b>PERSONAL CLEANLINESS</b>		
25. Personal cleanliness and hair restraints		
<b>GENERAL FOOD SAFETY REQUIREMENTS</b>		
26. Approved thawing methods used, frozen food		
27. Food separated and protected		
28. Washing fruits and vegetables		
29. Toxic substances properly identified, stored, used		
<b>FOOD STORAGE/ DISPLAY/ SERVICE</b>		
30. Food storage; food storage containers identified		
31. Consumer self-service		
32. Food properly labeled & honestly presented		
<b>EQUIPMENT/ UTENSILS/ LINENS</b>		
33. Nonfood contact surfaces clean		
34. Warewashing facilities: installed, maintained, used; test strips		
35. Equipment/ Utensils approved, installed; clean; good repair, capacity		
36. Equipment, utensils and linens: storage and use		
37. Vending machines		
38. Adequate ventilation and lighting; designated areas, use		

<b>PHYSICAL FACILITIES</b>		OUT
39. Thermometers provided and accurate		
40. Wiping cloths: properly used and stored		
<b>PERMANENT FOOD FACILITIES</b>		
41. Plumbing: proper backflow devices		
42. Garbage and refuse properly disposed; facilities maintained		
43. Toilet facilities: properly constructed, supplied, cleaned		
44. Premises; personal/cleaning items: vermin-proofing		
<b>SIGNS/ REQUIREMENTS</b>		
45. Floor, walls and ceilings: built, maintained, and clean		
46. No unapproved private homes/ living or sleeping quarters		
<b>COMPLIANCE &amp; ENFORCEMENT</b>		
47. Signs posted; last inspection report available		
48. Plan Review		
49. Permits Available		
50. Impoundment		
51. Permit Suspension		

Received by (Print)

Title

Received by (Signature)

Dennis Fink

Specialist (Print)

Specialist (Signature)

Re-inspection Date:

Next Routine

21) Adjust hot water to reach 120°F or above. Found at 116°F at time of inspection