



PLUMAS COUNTY  
ENVIRONMENTAL HEALTH DIVISION  
**FOOD SAFETY EVALUATION REPORT**  
270 County Hospital Rd., Ste 127 Quincy, CA 95971  
Phone: (530) 283-6355 FAX (530) 283-6241

pg 1 of 2

Date of Inspection: 22 May 25

Facility Name: <u>RAFE</u>	Phone Number <u>936-4682</u>	PR ID # <u>2242</u>
Facility Site Address: <u>7539 Hwy 89</u>	City: <u>GRAEALE</u>	Zip <u>96103</u>
Permit #: <u>25-1369</u>	Exp Date: <u>5/1/26</u>	Permit Holder: <u>STACEY SCOTT</u>
		Type of Inspection: <u>PREOPENING</u>

See reverse side for the code sections and general requirements that correspond to each violation listed below

In = In compliance N/O = Not observed N/A = Not applicable COS = Corrected on-site MAJ = Major violation OUT=Out of Compliance

In	N/O-N/A	COS	MAJ	OUT
<b>DEMONSTRATION OF KNOWLEDGE</b>				
<input checked="" type="checkbox"/>	1. Demonstration of knowledge; food safety certification			
Food Safety Cert Name: <u>STACEY SCOTT</u> Exp. Date: <u>9/11/28</u>				
<b>EMPLOYEE HEALTH &amp; HYGIENIC PRACTICES</b>				
<input checked="" type="checkbox"/>	2. Communicable disease; reporting, restrictions & exclusions			
<input checked="" type="checkbox"/>	3. No discharge from eyes, nose, and mouth			
<input checked="" type="checkbox"/>	4. Proper eating, tasting, drinking or tobacco use			
<b>PREVENTING CONTAMINATION BY HANDS</b>				
<input checked="" type="checkbox"/>	5. Hands clean and properly washed; gloves used properly			
<input checked="" type="checkbox"/>	6. Adequate handwashing facilities supplied & accessible			
<b>TIME AND TEMPERATURE RELATIONSHIPS</b>				
<input checked="" type="checkbox"/>	7. Proper hot and cold holding temperatures			
<input checked="" type="checkbox"/>	8. Time as a public health control; procedures & records			
<input checked="" type="checkbox"/>	9. Proper cooling methods			
<input checked="" type="checkbox"/>	10. Proper cooking time & temperatures			
<input checked="" type="checkbox"/>	11. Proper reheating procedures for hot holding			
<b>PROTECTION FROM CONTAMINATION</b>				
<input checked="" type="checkbox"/>	12. Returned and re-service of food			
<input checked="" type="checkbox"/>	13. Food in good condition, safe and unadulterated			
<input checked="" type="checkbox"/>	14. Food contact surfaces: clean and sanitized			

In	N/O-N/A	COS	MAJ	OUT
<b>FOOD FROM APPROVED SOURCES</b>				
<input checked="" type="checkbox"/>	15. Food obtained from approved source			
<input checked="" type="checkbox"/>	16. Compliance with shell stock tags, condition, display			
<input checked="" type="checkbox"/>	17. Compliance with Gulf Oyster Regulations			
<b>CONFORMANCE WITH APPROVED PROCEDURES</b>				
<input checked="" type="checkbox"/>	18. Compliance with variance, specialized process, reduced oxygen packaging, & HACCP Plan			
<b>CONSUMER ADVISORY</b>				
<input checked="" type="checkbox"/>	19. Consumer advisory provided for raw or undercooked foods			
<b>Highly Susceptible Populations</b>				
<input checked="" type="checkbox"/>	20. Licensed health care facilities/ public & private schools; prohibited foods not offered			
<b>WATER/HOT WATER</b>				
<input checked="" type="checkbox"/>	21. Hot and cold water available	Temp <u>116</u>		<input checked="" type="checkbox"/>
<b>LIQUID WASTE DISPOSAL</b>				
<input checked="" type="checkbox"/>	22. Sewage and wastewater properly disposed			
<b>VERMIN</b>				
<input checked="" type="checkbox"/>	23. No rodents, insects, birds, or animals			

<b>SUPERVISION</b>		OUT
24. Person in charge present and performs duties		
<b>PERSONAL CLEANLINESS</b>		
25. Personal cleanliness and hair restraints		
<b>GENERAL FOOD SAFETY REQUIREMENTS</b>		
26. Approved thawing methods used, frozen food		
27. Food separated and protected		
28. Washing fruits and vegetables		
29. Toxic substances properly identified, stored, used		
<b>FOOD STORAGE/ DISPLAY/ SERVICE</b>		
30. Food storage; food storage containers identified		
31. Consumer self-service		
32. Food properly labeled & honestly presented		
<b>EQUIPMENT/ UTENSILS/ LINENS</b>		
33. Nonfood contact surfaces clean		
34. Warewashing facilities: installed, maintained, used; test strips		<input checked="" type="checkbox"/>
35. Equipment/ Utensils approved; installed; clean; good repair, capacity		
36. Equipment, utensils and linens: storage and use		
37. Vending machines		
38. Adequate ventilation and lighting; designated areas, use		

<b>PHYSICAL FACILITIES</b>		OUT
39. Thermometers provided and accurate		
40. Wiping cloths: properly used and stored		
<b>PERMANENT FOOD FACILITIES</b>		
41. Plumbing: proper backflow devices		
42. Garbage and refuse properly disposed; facilities maintained		
43. Toilet facilities: properly constructed, supplied, cleaned		
44. Premises; personal/cleaning items; vermin-proofing		
<b>SIGNS/ REQUIREMENTS</b>		
45. Floor, walls and ceilings: built, maintained, and clean		
46. No unapproved private homes/ living or sleeping quarters		
<b>SIGNS/ REQUIREMENTS</b>		
47. Signs posted: last inspection report available		
<b>COMPLIANCE &amp; ENFORCEMENT</b>		
48. Plan Review		
49. Permits Available		
50. Impoundment		
51. Permit Suspension		

Received by (Print) Stacey Scott  
Received by (Signature) Stacey Scott  
Specialist (Print) Rob Robbinette Specialist (Signature) Rob Robbinette

Title Owner

Re-inspection Date:

## OBSERVATIONS AND CORRECTIVE ACTIONS

#45 A) EXTEND THE COOKLINE HOOD "Skirt" TO REACH THE ROOM CEILING.

B) SEAL THE GAP BETWEEN THE 3-COMPARTMENT SINK AND THE WALL WITH CLEAR SILICONE.

#31 A) REDUCE THE CHLORINE CONCENTRATION AT FINAL RINSE TO 50 ppm (FOURTH AT 100 ppm)

B) PROVIDE AND MAINTAIN CHLORINE TEST STRIPS FOR MEASURING RINSE CONCENTRATION OF CHLORINE.

#21 ADJUST THE HOT WATER TEMPERATURE TO 120°F (FOURTH AT 116°F)  
- THIS FACILITY IS APPROVED FOR OPERATION - 116°F

Received by (Print)

Title

Received by (Signature)

Specialist (Print)

Rob Robineau

Specialist (Signature)

Re-inspection Date: